


Idaho Pediatric Cancer Incidence 1989 - 2003



Pediatric Cancer in SEER Regions and Idaho (Ages 0-19)

Site/Type of Cancer	Idaho 1989-2003			SEER 1989-2002		
	Rate	Cases	Pop	Rate	Cases	Pop
All Sites Combined	16.6	968	5,814,005	17.1	12967	75,870,971
I Leukemia	4.2	244	5,814,005	4.2	3204	75,870,971
I(a) Lymphoid leukemia	3.1	178	5,814,005	3.2	2493	75,870,971
Acute lymphocytic leukemia (ALL)	3.1	177	5,814,005	3.2	2457	75,870,971
Lymphoid excluding ALL	0.0	1	5,814,005	0.0	36	75,870,971
I(b) Acute non-lymphocytic leukemia	0.8	45	5,814,005	0.7	544	75,870,971
I(c) Chronic myeloid leukemia	0.2	10	5,814,005	0.1	84	75,870,971
I(d) Other specified leukemia	0.0	0	5,814,005	0.0	14	75,870,971
I(e) Unspecified leukemia	0.2	11	5,814,005	0.1	69	75,870,971
II Lymphoma and reticuloendothelial neoplasms	2.6	155	5,814,005	2.6	1895	75,870,971
II(a) Hodgkin lymphoma	1.2	74	5,814,005	1.4	1048	75,870,971
II(b) Non-Hodgkin lymphoma	0.9	53	5,814,005	0.8	596	75,870,971
II(c) Burkitt lymphoma	0.3	17	5,814,005	0.2	187	75,870,971
II(d) Miscellaneous lymphoreticular neoplasms	0.1	6	5,814,005	0.0	14	75,870,971
II(e) Unspecified lymphoma	0.1	5	5,814,005	0.1	50	75,870,971
III CNS and misc intracranial and intraspinal neoplasms	3.2	182	5,814,005	3.1	2376	75,870,971
III(a) Ependymoma	0.2	11	5,814,005	0.3	209	75,870,971
III(b) Astrocytoma	1.8	106	5,814,005	1.6	1216	75,870,971
III(c) Primitive neuroectodermal tumors	0.6	36	5,814,005	0.6	497	75,870,971
III(d) Other gliomas	0.5	27	5,814,005	0.5	408	75,870,971
III(e) Misc intracranial and intraspinal neoplasms	0.0	0	5,814,005	0.0	7	75,870,971
III(f) Unspecified intracranial and intraspinal neoplasm	0.0	2	5,814,005	0.1	39	75,870,971
IV Sympathetic nervous system tumors	0.5	30	5,814,005	0.9	714	75,870,971
IV(a) Neuroblastoma and ganglioneuroblastoma	0.5	28	5,814,005	0.9	688	75,870,971
IV(b) Other sympathetic nervous system tumors	0.0	2	5,814,005	0.0	26	75,870,971
V Retinoblastoma	0.2	10	5,814,005	0.3	245	75,870,971
VI Renal tumors	0.6	36	5,814,005	0.7	562	75,870,971
VI(a) Wilms tumor, rhabdoid and clear cell sarcoma	0.6	34	5,814,005	0.7	533	75,870,971
VI(b) Renal carcinoma	0.0	1	5,814,005	0.0	28	75,870,971
VI(c) Unspecified malignant renal tumors	0.0	1	5,814,005	0.0	1	75,870,971
VII Hepatic tumors	0.1	7	5,814,005	0.2	140	75,870,971
VII(a) Hepatoblastoma	0.1	3	5,814,005	0.1	106	75,870,971
VII(b) Hepatic carcinoma	0.1	4	5,814,005	0.0	31	75,870,971
VII(c) Unspecified malignant hepatic tumors	0.0	0	5,814,005	0.0	3	75,870,971
VIII Malignant bone tumors	1.0	57	5,814,005	0.9	698	75,870,971
VIII(a) Osteosarcoma	0.5	29	5,814,005	0.5	358	75,870,971
VIII(b) Chondrosarcoma	0.0	2	5,814,005	0.0	34	75,870,971
VIII(c) Ewing sarcoma	0.4	22	5,814,005	0.4	272	75,870,971
VIII(d) Other specified malignant bone tumors	0.0	1	5,814,005	0.0	26	75,870,971
VIII(e) Unspecified malignant bone tumors	0.1	3	5,814,005	0.0	8	75,870,971
IX Soft-tissue sarcomas	1.3	74	5,814,005	1.2	926	75,870,971
IX(a) Rhabdomyosarcoma and embryonal sarcoma	0.6	32	5,814,005	0.5	359	75,870,971
IX(b) Fibrosarcoma, neurofibrosar and oth fibromatous ne	0.2	13	5,814,005	0.3	207	75,870,971
IX(c) Kaposi sarcoma	0.0	0	5,814,005	0.0	1	75,870,971
IX(d) Other specified soft-tissue sarcomas	0.3	19	5,814,005	0.4	269	75,870,971
IX(d) excluding misclassification from III(c)	0.3	16	5,814,005	0.3	225	75,870,971
PNET - not in brain/CNS/bone	0.1	3	5,814,005	0.1	44	75,870,971
IX(e) Unspecified soft-tissue sarcomas	0.2	10	5,814,005	0.1	90	75,870,971

(cont.)


Pediatric Cancer in SEER Regions and Idaho (Ages 0-19)

Site/Type of Cancer	Idaho 1989-2003			SEER 1989-2002		
	Rate	Cases	Pop	Rate	Cases	Pop
X Germ-cell, trophoblastic and other gonadal neoplasms	1.1	67	5,814,005	1.1	839	75,870,971
X(a) Intracranial and intraspinal germ-cell tumors	0.1	8	5,814,005	0.1	111	75,870,971
X(b) Other and unspecified non-gonadal germ-cell tumors	0.1	6	5,814,005	0.1	113	75,870,971
X(c) Gonadal germ-cell tumors	0.8	46	5,814,005	0.8	564	75,870,971
X(d) Gonadal carcinomas	0.1	7	5,814,005	0.1	38	75,870,971
X(e) Other and unspecified malignant gonadal tumors	0.0	0	5,814,005	0.0	13	75,870,971
XI Carcinomas and other malignant epithelial neoplasms	1.5	91	5,814,005	1.8	1294	75,870,971
XI(a) Adrenocortical carcinoma	0.0	1	5,814,005	0.0	27	75,870,971
XI(b) Thyroid carcinoma	0.5	30	5,814,005	0.6	457	75,870,971
XI(c) Nasopharyngeal carcinoma	0.0	2	5,814,005	0.0	25	75,870,971
XI(d) Malignant melanoma	0.6	37	5,814,005	0.7	487	75,870,971
XI(e) Skin carcinoma	0.0	0	5,814,005	0.0	4	75,870,971
XI(f) Other and unspecified carcinomas	0.4	21	5,814,005	0.4	294	75,870,971
XII Other and unspecified malignant neoplasms	0.1	5	5,814,005	0.1	49	75,870,971
XII(a) Other specified malignant tumors	0.1	3	5,814,005	0.0	24	75,870,971
XII(b) Other unspecified malignant tumors	0.0	2	5,814,005	0.0	25	75,870,971
Not classified by SEER	0.2	10	5,814,005	0.0	25	75,870,971

Rates are per 100,000 and age-adjusted to the 2000 U.S. (5-year groups) standard.

SEER data are for White race.

Statistical Note: Rates based upon 10 or fewer cases (numerator) should be interpreted with caution.



Pediatric Cancer in SEER Regions and Idaho (Ages 0-19)

Year of Diagnosis	Idaho 1989-2003			SEER 1989-2002		
	Rate	Cases	Pop	Rate	Cases	Pop
Total	16.6	968	5,814,005	17.1	12967	75,870,971
1989	13.9	47	338,719	17.2	894	5,161,823
1990	15.9	55	345,802	15.9	832	5,198,575
1991	12.7	44	349,373	17.5	918	5,226,960
1992	19.4	69	358,294	16.8	881	5,273,651
1993	15.8	59	369,573	16.6	892	5,340,804
1994	14.1	54	382,025	16.1	870	5,387,742
1995	15.3	60	389,310	16.6	904	5,432,271
1996	17.4	69	395,663	16.4	900	5,479,305
1997	12.7	51	400,866	16.8	929	5,519,447
1998	17.8	73	406,767	17.4	966	5,555,259
1999	16.7	70	411,481	16.6	925	5,576,052
2000	14.4	60	416,457	18.2	1,014	5,579,973
2001	20.8	87	415,899	18.2	1,014	5,575,190
2002	19.8	83	416,997	18.4	1,028	5,563,919
2003	20.7	87	416,779			

Rates are per 100,000 and age-adjusted to the 2000 US Std Million (18 age groups) standard.

